

## TEST REPORT

Report No. : HL10128A/2020

Page : 1 of 3

Date : FEB. 24, 2020

### CHUAN LIN WANG CO., LTD.

No. 135, Kung Yuan Road, Shia Yin Area, Tainan City, Taiwan

#### The following merchandise was submitted and identified by the applicant as:

Product Description: OFFICE CHAIR (COMFORT)

Style/Item No.: A300C

#### We have tested the submitted sample(s) as requested and the following results were obtained:

Type of chair: TYPE I, Tilting chair (with tilt locks, locking the chair changes to type III, fixed seat angle, fixed backrest)

Test Requested: For compliance with ANSI/BIFMA X5.1-2017 General-Purpose Office Chairs-Tests  
 Clause 5 Back Strength Test - Static - Type I & II  
 Clause 10 Seating Durability Test – Cyclic  
 Clause 14 Back Durability Test – Cyclic – Type I

Test Methods: According to test procedures of ANSI/BIFMA X5.1-2017


Test Results: ---See following sheet(s)---

Date of Receipt : Jan. 08, 2020 & Feb. 11, 2020

Testing Period : Jan. 08, 2020 ~ Feb. 21, 2020

Conclusion: The submitted sample(s) **comply with** Clause 5, 10 and 14 of ANSI/BIFMA X5.1-2017 General-Purpose Office Chairs-Tests

Signed for and on behalf of  
 SGS Taiwan Ltd.

  
 Lawrence Yang  
 Supervisor



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested

## TEST REPORT

Report No. : HL10128A/2020

Page : 2 of 3

Evaluation	Citation/Method	Criteria	Results	Rating
<b>PERFORMANCE</b>				
Back Strength Test - Static - Type I & II - Functional Load	ANSI/BIFMA X5.1-2017 Clause 5.4.1	I No structural breakage or loss of serviceability when 150 lb (667 N) is applied for 1 min. applied to 70° from back at 16 in above the seat. If the back is less than 17.8 in, the load is applied at the top of the back.	M	Pass
Back Strength Test - Static - Type I & II - Proof Load	ANSI/BIFMA X5.1-2017 Clause 5.4.2	No sudden and major change in the structural integrity (Loss of serviceability is acceptable) when 225 lb (1001 N) is applied for 1 min. applied to 70° from back at 16 in above the seat. If the back is less than 17.8 in, The load is applied at the top of the back.	M	Pass
Impact Test – Cyclic	ANSI/BIFMA X5.1-2017 Clause 10.3	No loss of serviceability in 100,000 cycles impact. A weight of 57 kg (125 lbs.) free falls onto the seat from 1.4 in. height.	M	Pass
Front Corner Load Ease Test – Cyclic – off Center	ANSI/BIFMA X5.1-2017 Clause 10.4	No loss of serviceability after 20,000 cycles to both front seat corners from a 890 N (200 lbs.) load positioned flush to both outer edges applied without impact for a total of 40,000 cycles Note: this test is done after “Impact test” on the same sample.	M	Pass
Back Durability Test – Cyclic – Type I	ANSI/BIFMA X5.1-2017 Clause 14	No loss of serviceability in 120,000 cycles with a 109 kg (240 lbs.) in the center of the seat and a 445 N (100 lbf.) 90° to the center of the chair back. For chairs with a back width greater than 406 mm (16 in.), test at the center of chair back for 80,000 cycles and then 102 mm (4 in.) off-center 40,000 cycles, half to each side.	M (test for sample 2)	Pass

### Results Key:

M	Meets	N/M	Does Not Meet
N/A	Not Applicable	N/T	Not Tested
C	Claimed	R	Recorded

### Rating Key:

Pass
Fail

- Note: 1. The content of this report is invalid if it is not presented as the entire report.  
2. The statement of conformity is based on the test results, but does not include the measurement uncertainty.

### – Pictures –



Photo A: Appearance of the sample 1 – front



Photo B: Appearance of the sample 1 – side

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested

## TEST REPORT

Report No. : HL10128A/2020

Page : 3 of 3

### – Pictures –




Photo C: Appearance of the sample 1 – back



Photo D: Type(s) of the chair – sample 1



Photo E: Appearance of the sample 2  
– Feb. 11, 2020



---End of Report---